


表1 神通川河口域

(四季 ○○m)



※ 内の記号は表1-1～1-4の索引記号に対応する。

表1-1 神通川河口域

(春 0m)

Trajectory_Prediction

	DATE					LATITUDE				LONGITUDE				SEA-FLOW			WIND		
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun		Direction (degree) (16dir)	Velocity (knot)		Direction (degree) (16dir)	Velocity (m/s)				
A 1	2007	1	1	0	0	36	46.08	137	12.75	y		272.82	0.32	n		0	0		
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		295.63	0.39	n		0	0		
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		347.07	0.50	n		0	0		
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		55.78	0.65	n		0	0		
A 5	2007	1	1	0	0	36	46.08	137	14.08	y		85.41	0.86	n		0	0		
B 1	2007	1	1	0	0	36	46.42	137	12.75	y		295.71	0.59	n		0	0		
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		322.78	0.42	n		0	0		
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		0.36	0.90	n		0	0		
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		57.02	1.08	n		0	0		
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		72.12	0.96	n		0	0		
C 1	2007	1	1	0	0	36	46.75	137	12.75	n		0	0	n		0	0		
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		8.28	0.40	n		0	0		
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		14.59	1.03	n		0	0		
C 4	2007	1	1	0	0	36	46.75	137	13.75	n		0	0	n		0	0		
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		64.37	1.05	n		0	0		
D 1	2007	1	1	0	0	36	47.08	137	12.75	n		0	0	n		0	0		
D 2	2007	1	1	0	0	36	47.08	137	13.08	n		0	0	n		0	0		
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		23.89	0.97	n		0	0		
D 4	2007	1	1	0	0	36	47.08	137	13.75	y		43.73	0.89	n		0	0		
D 5	2007	1	1	0	0	36	47.08	137	14.08	y		50.92	0.86	n		0	0		

(春 3m)

Trajectory_Prediction

	DATE					LATITUDE				LONGITUDE				SEA-FLOW			WIND		
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun		Direction (degree) (16dir)	Velocity (knot)		Direction (degree) (16dir)	Velocity (m/s)				
A 1	2007	1	1	0	0	36	46.08	137	12.75	y		83.97	0.10	n		0	0		
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		58.74	0.22	n		0	0		
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		124.20	0.05	n		0	0		
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		110.38	0.12	n		0	0		
A 5	2007	1	1	0	0	36	46.08	137	14.08	y		105.29	0.17	n		0	0		
B 1	2007	1	1	0	0	36	46.42	137	12.75	y		266.24	0.06	n		0	0		
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		297.18	0.19	n		0	0		
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		280.27	0.11	n		0	0		
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		278.37	0.10	n		0	0		
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		292.90	0.21	n		0	0		
C 1	2007	1	1	0	0	36	46.75	137	12.75	y		244.76	0.05	n		0	0		
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		299.64	0.15	n		0	0		
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		299.80	0.10	n		0	0		
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		329.30	0.08	n		0	0		
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		302.25	0.24	n		0	0		
D 1	2007	1	1	0	0	36	47.08	137	12.75	y		224.74	0.04	n		0	0		
D 2	2007	1	1	0	0	36	47.08	137	13.08	y		313.88	0.22	n		0	0		
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		336.93	0.11	n		0	0		
D 4	2007	1	1	0	0	36	47.08	137	13.75	y		20.82	0.12	n		0	0		
D 5	2007	1	1	0	0	36	47.08	137	14.08	y		60.53	0.17	n		0	0		

表1-2 神通川河口域

(夏 0m)

Trajectory Prediction

	DATE					LATITUDE		LONGITUDE		SEA-FLOW			WIND			
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun	Direction (16dir)	Direction (degree)	Velocity (knot)	Direction (16dir)	Direction (degree)	Velocity (m/s)	
A 1	2007	1	1	0	0	36	46.08	137	12.75	y		267.30	0.29	n	0	0
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		302.35	0.35	n	0	0
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		3.66	0.41	n	0	0
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		60.73	0.70	n	0	0
A 5	2007	1	1	0	0	36	46.08	137	14.08	y		89.38	0.72	n	0	0
B 1	2007	1	1	0	0	36	46.42	137	12.75	n		0	0	n	0	0
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		323.56	0.36	n	0	0
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		13.88	0.50	n	0	0
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		60.70	0.80	n	0	0
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		72.36	0.74	n	0	0
C 1	2007	1	1	0	0	36	46.75	137	12.75	y		269.96	0.13	n	0	0
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		319.29	0.36	n	0	0
C 3	2007	1	1	0	0	36	46.75	137	13.42	n		0	0	n	0	0
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		68.30	1.03	n	0	0
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		67.54	0.62	n	0	0
D 1	2007	1	1	0	0	36	47.08	137	12.75	n		0	0	n	0	0
D 2	2007	1	1	0	0	36	47.08	137	13.08	n		0	0	n	0	0
D 3	2007	1	1	0	0	36	47.08	137	13.42	n		0	0	n	0	0
D 4	2007	1	1	0	0	36	47.08	137	13.75	n		0	0	n	0	0
D 5	2007	1	1	0	0	36	47.08	137	14.08	n		0	0	n	0	0

(夏 3m)

Trajectory Prediction

	DATE					LATITUDE		LONGITUDE		SEA-FLOW			WIND			
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun	Direction (16dir)	Direction (degree)	Velocity (knot)	Direction (16dir)	Direction (degree)	Velocity (m/s)	
A 1	2007	1	1	0	0	36	46.08	137	12.75	y		78.69	0.10	n	0	0
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		21.11	0.12	n	0	0
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		277.73	0.24	n	0	0
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		285.30	0.24	n	0	0
A 5	2007	1	1	0	0	36	46.08	137	14.08	y		272.03	0.17	n	0	0
B 1	2007	1	1	0	0	36	46.42	137	12.75	y		16.54	0.08	n	0	0
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		325.93	0.18	n	0	0
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		296.13	0.25	n	0	0
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		317.85	0.18	n	0	0
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		277.44	0.23	n	0	0
C 1	2007	1	1	0	0	36	46.75	137	12.75	y		270.07	0.13	n	0	0
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		284.64	0.22	n	0	0
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		275.76	0.20	n	0	0
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		298.02	0.13	n	0	0
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		277.80	0.17	n	0	0
D 1	2007	1	1	0	0	36	47.08	137	12.75	y		325.26	0.13	n	0	0
D 2	2007	1	1	0	0	36	47.08	137	13.08	y		280.49	0.25	n	0	0
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		279.23	0.17	n	0	0
D 4	2007	1	1	0	0	36	47.08	137	13.75	y		257.58	0.27	n	0	0
D 5	2007	1	1	0	0	36	47.08	137	14.08	y		315.36	0.13	n	0	0

表1-3 神通川河口域

(秋 0m)

Trajectory Prediction

	DATE					LATITUDE				LONGITUDE				SEA-FLOW			WIND		
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun		Direction (16dir)	Velocity (degree)	Velocity (knot)		Direction (16dir)	Velocity (degree)	Velocity (m/s)		
A 1	2007	1	1	0	0	36	46.08	137	12.75	n		0	0	n		0	0		
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		329.77	0.20	n		0	0		
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		3.70	0.48	n		0	0		
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		37.32	0.40	n		0	0		
A 5	2007	1	1	0	0	36	46.08	137	14.08	n		0	0	n		0	0		
B 1	2007	1	1	0	0	36	46.42	137	12.75	n		0	0	n		0	0		
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		322.90	0.22	n		0	0		
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		7.09	0.32	n		0	0		
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		16.88	0.29	n		0	0		
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		75.92	0.30	n		0	0		
C 1	2007	1	1	0	0	36	46.75	137	12.75	n		0	0	n		0	0		
C 2	2007	1	1	0	0	36	46.75	137	13.08	n		0	0	n		0	0		
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		340.85	0.24	n		0	0		
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		45.83	0.22	n		0	0		
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		51.59	0.25	n		0	0		
D 1	2007	1	1	0	0	36	47.08	137	12.75	n		0	0	n		0	0		
D 2	2007	1	1	0	0	36	47.08	137	13.08	n		0	0	n		0	0		
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		6.71	0.22	n		0	0		
D 4	2007	1	1	0	0	36	47.08	137	13.75	n		0	0	n		0	0		
D 5	2007	1	1	0	0	36	47.08	137	14.08	n		0	0	n		0	0		

(秋 3m)

Trajectory Prediction

	DATE					LATITUDE				LONGITUDE				SEA-FLOW			WIND		
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun		Direction (16dir)	Velocity (degree)	Velocity (knot)		Direction (16dir)	Velocity (degree)	Velocity (m/s)		
A 1	2007	1	1	0	0	36	46.08	137	12.75	y		277.77	0.10	n		0	0		
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		271.45	0.23	n		0	0		
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		274.99	0.20	n		0	0		
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		268.46	0.12	n		0	0		
A 5	2007	1	1	0	0	36	46.08	137	14.08	y		276.27	0.12	n		0	0		
B 1	2007	1	1	0	0	36	46.42	137	12.75	y		253.94	0.11	n		0	0		
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		274.35	0.32	n		0	0		
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		280.01	0.24	n		0	0		
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		276.01	0.13	n		0	0		
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		255.91	0.09	n		0	0		
C 1	2007	1	1	0	0	36	46.75	137	12.75	y		242.79	0.06	n		0	0		
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		263.14	0.23	n		0	0		
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		280.54	0.16	n		0	0		
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		294.83	0.11	n		0	0		
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		207.75	0.13	n		0	0		
D 1	2007	1	1	0	0	36	47.08	137	12.75	y		258.12	0.09	n		0	0		
D 2	2007	1	1	0	0	36	47.08	137	13.08	y		269.66	0.14	n		0	0		
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		299.65	0.07	n		0	0		
D 4	2007	1	1	0	0	36	47.08	137	13.75	y		270.14	0.11	n		0	0		
D 5	2007	1	1	0	0	36	47.08	137	14.08	y		308.75	0.04	n		0	0		

表1-4 神通川河口域

(冬 0m)

Trajectory Prediction

	DATE					LATITUDE		LONGITUDE		SEA-FLOW		WIND				
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun	Direction (16dir)	Velocity (degree)	Velocity (knot)	Direction (16dir)	Velocity (degree)	Velocity (m/s)	
A 1	2007	1	1	0	0	36	46.08	137	12.75	n		0	0	n	0	0
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		300.43	0.13	n	0	0
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		351.49	0.59	n	0	0
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		14.10	0.57	n	0	0
A 5	2007	1	1	0	0	36	46.08	137	14.08	n		0	0	n	0	0
B 1	2007	1	1	0	0	36	46.42	137	12.75	n		0	0	n	0	0
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		331.02	0.38	n	0	0
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		339.59	0.43	n	0	0
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		11.41	0.40	n	0	0
B 5	2007	1	1	0	0	36	46.42	137	14.08	n		0	0	n	0	0
C 1	2007	1	1	0	0	36	46.75	137	12.75	n		0	0	n	0	0
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		347.32	0.34	n	0	0
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		342.15	0.33	n	0	0
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		331.97	0.40	n	0	0
C 5	2007	1	1	0	0	36	46.75	137	14.08	n		0	0	n	0	0
D 1	2007	1	1	0	0	36	47.08	137	12.75	n		0	0	n	0	0
D 2	2007	1	1	0	0	36	47.08	137	13.08	y		320.65	0.29	n	0	0
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		347.93	0.40	n	0	0
D 4	2007	1	1	0	0	36	47.08	137	13.75	n		0	0	n	0	0
D 5	2007	1	1	0	0	36	47.08	137	14.08	n		0	0	n	0	0

(冬 3m)

Trajectory Prediction

	DATE					LATITUDE		LONGITUDE		SEA-FLOW		WIND				
	Year	Month	Day	Hour	Minute	Do	Fun	DO	Fun	Direction (16dir)	Velocity (degree)	Velocity (knot)	Direction (16dir)	Velocity (degree)	Velocity (m/s)	
A 1	2007	1	1	0	0	36	46.08	137	12.75	y		88.00	0.05	n	0	0
A 2	2007	1	1	0	0	36	46.08	137	13.08	y		39.72	0.10	n	0	0
A 3	2007	1	1	0	0	36	46.08	137	13.42	y		289.57	0.10	n	0	0
A 4	2007	1	1	0	0	36	46.08	137	13.75	y		287.93	0.06	n	0	0
A 5	2007	1	1	0	0	36	46.08	137	14.08	y		244.16	0.19	n	0	0
B 1	2007	1	1	0	0	36	46.42	137	12.75	y		256.58	0.18	n	0	0
B 2	2007	1	1	0	0	36	46.42	137	13.08	y		271.42	0.19	n	0	0
B 3	2007	1	1	0	0	36	46.42	137	13.42	y		278.16	0.21	n	0	0
B 4	2007	1	1	0	0	36	46.42	137	13.75	y		290.01	0.27	n	0	0
B 5	2007	1	1	0	0	36	46.42	137	14.08	y		281.39	0.26	n	0	0
C 1	2007	1	1	0	0	36	46.75	137	12.75	y		257.97	0.33	n	0	0
C 2	2007	1	1	0	0	36	46.75	137	13.08	y		263.20	0.31	n	0	0
C 3	2007	1	1	0	0	36	46.75	137	13.42	y		256.83	0.24	n	0	0
C 4	2007	1	1	0	0	36	46.75	137	13.75	y		270.00	0.22	n	0	0
C 5	2007	1	1	0	0	36	46.75	137	14.08	y		289.06	0.23	n	0	0
D 1	2007	1	1	0	0	36	47.08	137	12.75	y		247.03	0.17	n	0	0
D 2	2007	1	1	0	0	36	47.08	137	13.08	y		289.76	0.12	n	0	0
D 3	2007	1	1	0	0	36	47.08	137	13.42	y		280.01	0.26	n	0	0
D 4	2007	1	1	0	0	36	47.08	137	13.75	y		249.76	0.23	n	0	0
D 5	2007	1	1	0	0	36	47.08	137	14.08	y		271.61	0.04	n	0	0